

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 1. - 6. (Canceled).

1 7. (Currently amended) A machine-implemented method, comprising:

2 storing, in a database, content items for a web site;

3 storing, in said database, folder data representing one or more folders;

4 storing, in said database, mapping data that indicates a folder-to-content item

5 mapping;

6 ~~storing, in said database, one or more attribute values associated with each of the one~~
7 ~~or more folders;~~

8 storing, in said database, permission data that identifies, for each of the one or more

9 folders, one or more user permissions, wherein each of the one or more user

10 permissions are assigned to one or more users, wherein each user permission

11 indicates a level of access, granted to the assigned user, on the associated

12 folder and any content items therein;

13 ~~storing, in said database, data that establishes for each of the one or more folders a~~

14 ~~folder to content item mapping, wherein each of the one or more attribute~~

15 ~~values that is associated with a particular folder applies to each content item~~

16 ~~that is mapped to the particular folder by the folder to content item mapping;~~

17 in response to a request to perform a web site operation that involves a particular

18 content item, performing the steps of:

19 determining, based on the folder-to-content item mapping, the particular

20 folder associated with the particular content item;

21 determining that a particular ~~attribute value~~ user permission applies to said

22 particular content item based on the particular user permission ~~attribute~~

23 ~~value~~ being associated with the particular folder; and

24 responding to said request to perform the web site operation based on said

25 particular user permission ~~attribute value;~~

26 wherein the web site operation is an operation to create the particular content
27 item within the particular folder, wherein said particular content item
28 is not visible to said one or more users until said particular content
29 item is approved by a folder owner of said particular folder.

1 8. (Cancelled).

1 9. (Currently amended) The method of Claim 7[[8]], wherein the web site particular type
2 of operation further specifies an additional operation, wherein said additional
3 operation is either an operation to view the content items that belong to said particular
4 folder or to create a new content item that belongs to said particular folder.

1 10. (Previously presented) The method of Claim 7, wherein [[a]] said folder owner is
2 associated with the particular folder, the method further comprising:
3 storing assignment data that describes the users, of the set of one or more users, to
4 which the folder owner grants permission to perform particular types of
5 operations on content items that belong to the particular folder.

1 11. (Cancelled).

1 12. (Cancelled).

1 13. (Currently amended) A machine-readable medium carrying one or more sequences of
2 instructions, wherein execution of the one or more sequences of instructions by one or
3 more processors causes the one or more processors to perform the steps of,
4 comprising:
5 storing, in a database, content items for a web site;
6 storing, in said database, folder data representing one or more folders;
7 storing, in said database, mapping data that indicates a folder-to-content item
8 mapping;
9 ~~storing, in said database, one or more attribute values associated with each of the one~~
10 ~~or more folders;~~
11 storing, in said database, permission data that identifies, for each of the one or more

12 folders, one or more user permissions, wherein each of the one or more user
13 permissions are assigned to one or more users, wherein each user permission
14 indicates a level of access, granted to the assigned user, on the associated
15 folder and any content items therein;
16 ~~storing, in said database, data that establishes for each of the one or more folders a~~
17 ~~folder to content item mapping, wherein each of the one or more attribute~~
18 ~~values that is associated with a particular folder applies to each content item~~
19 ~~that is mapped to the particular folder by the folder to content item mapping;~~
20 in response to a request to perform a web site operation that involves a particular
21 content item, performing the steps of:
22 determining, based on the folder-to-content item mapping, the particular
23 folder associated with the particular content item;
24 determining that a particular ~~attribute value~~ user permission applies to said
25 particular content item based on the particular user permission attribute
26 ~~value~~ being associated with the particular folder; and
27 responding to said request to perform the web site operation based on said
28 particular user permission attribute value,
29 wherein the web site operation is an operation to create the particular content
30 item within the particular folder, wherein said particular content item
31 is not visible to said one or more users until said particular content
32 item is approved by a folder owner of said particular folder.

1 14. (Cancelled).

1 15. (Currently amended) The machine-readable medium of Claim 13[[14]], wherein the
2 web site particular type of operation further specifies an additional operation, wherein
3 said additional operation is either an operation to view the content items that belong
4 to said particular folder or to create a new content item that belongs to said particular
5 folder.

1 16. (Previously presented) The machine-readable medium of Claim 13, wherein [[a]]said
2 folder owner is associated with the particular folder, the method further comprising:

3 storing assignment data that describes the users, of the set of one or more users, to
4 which the folder owner grants permission to perform particular types of
5 operations on content items that belong to the particular folder.

1 17. (Cancelled).

1 18. (Cancelled).

1 19. (New) The method of Claim 7, wherein said folder owner is assigned a specific user
2 permission allowing the folder owner to create a style to be associated with the
3 particular folder.

1 20. (New) The method of Claim 13, wherein said folder owner is assigned a specific user
2 permission allowing the folder owner to create a style to be associated with the
3 particular folder.